# What Have We Learned in Seven Conferences on Unburned Carbon on Utility Fly Ash

#### A Review of Past Conferences


Thomas C. Ruppel Parsons Corporation

2002 Conference on Unburned Carbon on Utility Fly Ash

May 14, 2002

#### **Categories from Technical Presentations**

#### **Frequency of Topical Presentations**



#### What Have We Learned?

- \* Control Measures for UBC
- \* Instrumentation to Measure Unburned

- \* Beneficiation of High-LOI Fly Ash
- \* New Uses for High-LOI Fly Ash
- \* Characterization of High-LOI Fly Ash

### Control Measures for UBC Presented at the Conferences

- \* Balancing coal distribution among
- \* Combustion optimization software
- \* Improving the three T's (time,
- \* Increasing the fineness (decreasing

## Control Measures for UBC Presented at the Conferences

#### Continued


- \* Increasing the thickness of the furnace slag layer
- **\*** Low-NOx-burners
- \* Natural gas cofiring
- **\*** Overfire air
- \* Slagging combustors

# Control Measures for UBC Presented at the Conferences continued

- \* Optimizing Engineering Parameters:
  - a. ash loading
  - b. boiler unit load
  - c. excess air
  - d. firing system design
  - e. furnace internal fuel-air swirl
  - f. heating value of coal
  - g. moisture
  - h. mill bias, maintenance, tilt angle, and air flow
  - i. residence time


#### % UBC

UBC levels
pre- & post- combustion modifications



#### % UBC (cont'd)

UBC levels
pre- & post- combustion modifications



# Instrumentation to Measure Unburned Carbon on Fly Ash On-Line – In-Situ

- \* Dielectric strength of particle (Sekam, Clyde
- \* Infrared absorption by particles
- \* Microwave absorption by particles
- \* Optical sensors (MK Eng., MA)
- **\* Spectrophotometer** (Concarb 2000, PA)

# Instrumentation to Measure Unburned Carbon on Fly Ash On-Line – Extractive

\* Infrared reflectance by particles

(RCA, M&W Asketeknik, Denmark)

**\*** Microwave absorption by particles

(CAMRAC, PA) 10

# Instrumentation to Measure Unburned Carbon on Fly Ash Off-Line

#### Based on:

- \* Color of fly ash (Shamrock Env., FL)
- **\* Gravimetric** (HOT FOIL LOI, FERC, CA)
- \* Subsonic signal from a carbon-in-ash sample irradiated with visible light

(IA State Univ.)

### **Beneficiation of High-LOI Fly Ash**

- \* Acoustically agitated bubbling fluidized bed (Lehigh Univ., PA)
- **★ Electrostatic separation** (STI, MA)
- **★ Froth flotation** (MTU)

## Beneficiation of High-LOI Fly Ash Continued

**\*** Pneumatic transport separator

(Tribo Flow Sepns. & UKY)

\* Triboelectric (triboelectrostatic)

(9 presentations)

\* Vibrating electrostatic separator

(Minerals & Coal Tech., VA, Korean coals)

## High-LOI Fly Ash Carbon Reduction by Burn-Off

- \* Carbon burnout via a close-coupled burnout reactor (Prog. Matls., FL and SC Elec. & Gas)
- \* Microwave heating to decarbonize <u>low-</u>
  <u>LOI</u> fly ash (Microwave Tech. Corp., Canada)
- \* Recycling beneficiated high-LOI fly ash back into furnace (New England Power, STI process, then recycle C-rich stream)

### **New Uses for High-LOI Fly Ash**

- \* Activated carbon source (Penn State Univ.)
- \* Autoclaved aerated concrete (as a sawable nonrotting wood replacement)

\* Cement kiln fuel (Morrison Technology, ME)

## New Uses for High-LOI Fly Ash Continued

- \* Concrete manufacture (9 presentations)

  Construction materials (e.g., concrete blocks, ash bricks, panels) (Univ. of Denver)
- \* Flowable fill (low load strength backfill) (Hands On Tech!, MA) 16

## New Uses for High-LOI Fly Ash Continued

- **★ Industrial binder for metal casting and**(MTU)
- \* Improved structural fill (subgrade/

Robert Kimball Assoc., PA)

\* Phosphoric acid-based cements and

(Answer Tech., IL)

## New Uses for High-LOI Fly Ash Continued

- \* Reinjection of fly ash into power plant slip-stream (mercury removal) (ADA Tech., CO)
- \* Silicaceous material source for vitrification to glass and ceramics (Vortec Corp., PA)
- \* Soil amendments ("crops grow well"), food crops contain low levels of ash metals (scs, AL)

#### What Have We Learned?

\* Characteristics of UBC:

Initial BET surface area: activated to ca.

## What Have We Learned? Continued

\* Characteristics of UBC, continued:

- d) Porosity: 20-500 A (mesopore range)
- e) Bulk densities: 1.5 to 1.95 g/cc
- f) Appears to have the structure of highly disordered graphite

## What Have We Learned? Continued

\* Process improvements undertaken to reduce NOx emissions and improve boiler operation can reduce UBC levels by approximately half.

## What Have We Learned? Continued

- \* Based on a number of conference presentations, we now have information on about a dozen techniques for each of the following:
  - a) Measuring UBC on fly ash
  - b) Separating (beneficiating) UBC from fly ash
  - c) New uses for high-LOI fly ash.

### What Have We Learned? Continued

\* Conference confirmed that control of UBC on flyash by combustion modification must be replaced by or coupled with SCR and/or SNCR to meet NOx emission requirements

### What Hasn't the Conference Heard Yet? Effects on Unburned Carbon

- **\*** Burners out of service
- \* Combination of combustion/postcombustion technologies
- \* Flue gas recirculation
- \* Reduced air preheat
- \* Steam or water injection
- \* Ultra-low excess air
- \* Clear Skies Initiative

### Unburned Carbon Conference Team Members

- \* Tom Sarkus, NETL, Conference Chair
- \* Leo Makovsky, NETL, Team Leader
- \* Karen Lockhart, Science Applications International Corporation (SAIC), Certified Conference Planner
- \* Al Mann Parsons Corporation
- \* Tom Ruppel Parsons Corporation 25